

XL 6

PORTABLE INFRARED HEATER

HEAT ONLY WHAT YOU NEED


DISCOVER SMART

MASTER® SOLUTION



PROFESSIONAL INFRARED XL 6

- High efficiency regardless of rainy or windy weather
- Easy to operate
- Reliability
- Great mobility
- Fast heat-up
- Low energy waste, which is a severe drawback of conventional heating systems



SPECIFICATIONS		XL 6
Power	kW	17
	Btu/h	58.000
	kcal/h	14.600
Fuel consumption	kg/h	1,35
Thermostat control		included
Power supply	V/Hz	220-240/50
Rated current	A	0,85
Tank capacity	l	11
Packaging dimension (l x w x h)	mm	600 x 380 x 580
Net / gross weight	kg	18/20
Pallet	pcs	12

IMPORTANT:
Ventilation of the room is necessary to prevent a deficiency in oxygen supply.

PORTABLE HEATER



- Radiant heat
- No air flow
- Low noise
- Overheat thermostat
- Tip-over switch
- Multi function display
- Room thermostat on board
- Electronic flame control
- Standard photocell cut off
- Electronic cooling system
- Solenoid fuel pump
- Double electrode ignitron
- Fuel level gauge
- Double fuel filter
- Combustion chamber in ceramic fiber
- Easy maintenance



display



XL 6 trolley



MASTER[®]

CLIMATE SOLUTIONS



MCS ITALY: Via Tione 12, 37010 Pastrengo (VR), Italy,
(0039) 045 6770533

MCS CENTRAL EUROPE: ul. Magazynowa 5a, 62-023 Gądk, Poland,
(0048) 61 654 4000

MCS RUSSIA: Transportnaya 22/2, 142802, Stupino, Moscow region,
Russia, (007) 495 642 444 8

MCS CHINA: Unit A1, No. 1515 Jinshao Rd, Baoshang Industrial Zone,
Shanghai, 200949, (0086) 21 – 61486668

For further information, please contact your distributor:

Data, descriptions and pictures are for indication only and absolutely not binding.
The Company reserves the right to modify or improve them without prior notice.